



paramyotonia congenita

Paramyotonia congenita is a disorder that affects muscles used for movement (skeletal muscles). Beginning in infancy or early childhood, people with this condition experience bouts of sustained muscle tensing (myotonia) that prevent muscles from relaxing normally. Myotonia causes muscle stiffness that typically appears after exercise and can be induced by muscle cooling. This stiffness chiefly affects muscles in the face, neck, arms, and hands, although it can also affect muscles used for breathing and muscles in the lower body. Unlike many other forms of myotonia, the muscle stiffness associated with paramyotonia congenita tends to worsen with repeated movements.

Most people—even those without muscle disease—feel that their muscles do not work as well when they are cold. This effect is dramatic in people with paramyotonia congenita. Exposure to cold initially causes muscle stiffness in these individuals, and prolonged cold exposure leads to temporary episodes of mild to severe muscle weakness that may last for several hours at a time. Some older people with paramyotonia congenita develop permanent muscle weakness that can be disabling.

Frequency

Paramyotonia congenita is an uncommon disorder; it is estimated to affect fewer than 1 in 100,000 people.

Genetic Changes

Mutations in the *SCN4A* gene cause paramyotonia congenita. This gene provides instructions for making a protein that is critical for the normal function of skeletal muscle cells. For the body to move normally, skeletal muscles must tense (contract) and relax in a coordinated way. Muscle contractions are triggered by the flow of positively charged atoms (ions), including sodium, into skeletal muscle cells. The *SCN4A* protein forms channels that control the flow of sodium ions into these cells.

Mutations in the *SCN4A* gene alter the usual structure and function of sodium channels. The altered channels cannot effectively regulate the flow of sodium ions into skeletal muscle cells. The resulting increase in ion flow interferes with normal muscle contraction and relaxation, leading to episodes of muscle stiffness and weakness.

Inheritance Pattern

This condition is inherited in an autosomal dominant pattern, which means one copy of the altered gene in each cell is sufficient to cause the disorder. In many cases, an affected person has one parent with the condition.

Other Names for This Condition

- Eulenburg disease
- paralysis periodica paramyotonia
- paramyotonia congenita of von Eulenburg
- PMC
- Von Eulenberg's disease

Diagnosis & Management

Genetic Testing

- Genetic Testing Registry: Paramyotonia congenita of von Eulenburg
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1868617/>

Other Diagnosis and Management Resources

- Periodic Paralysis International: How is Periodic Paralysis Diagnosed?
<http://hkpp.org/patients/do-i-have-pp>

General Information from MedlinePlus

- Diagnostic Tests
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy
<https://medlineplus.gov/drugtherapy.html>
- Genetic Counseling
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care
<https://medlineplus.gov/palliativecare.html>
- Surgery and Rehabilitation
<https://medlineplus.gov/surgeryandrehabilitation.html>

Additional Information & Resources

MedlinePlus

- Health Topic: Muscle Disorders
<https://medlineplus.gov/muscle disorders.html>

Genetic and Rare Diseases Information Center

- Paramyotonia congenita
<https://rarediseases.info.nih.gov/diseases/7325/paramyotonia-congenita>

Additional NIH Resources

- National Institute of Neurological Disorders and Stroke
<https://www.ninds.nih.gov/Disorders/All-Disorders/Myotonia-Information-Page>

Educational Resources

- Disease InfoSearch: Paramyotonia congenita
<http://www.diseaseinfosearch.org/Paramyotonia+congenita/5586>
- MalaCards: paramyotonia congenita
http://www.malacards.org/card/paramyotonia_congenita
- Neuromuscular Disease Center, Washington University
<http://neuromuscular.wustl.edu/mother/activity.html#pc>
- Orphanet: Paramyotonia congenita of Von Eulenburg
http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=684

Patient Support and Advocacy Resources

- Muscular Dystrophy Association
<https://www.mda.org/disease/inherited-and-endocrine-myopathies>
- National Organization for Rare Disorders (NORD)
<https://rarediseases.org/rare-diseases/paramyotonia-congenita/>
- Periodic Paralysis Association
<http://www.periodicparalysis.org/>
- Periodic Paralysis International
<http://hkpp.org/patients/Paramyotonia>
- Resource list from the University of Kansas Medical Center
<http://www.kumc.edu/gec/support/muscular.html>

ClinicalTrials.gov

- ClinicalTrials.gov
<https://clinicaltrials.gov/ct2/results?cond=%22paramyotonia+congenita%22>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28Myotonic+Disorders%5BMAJR%5D%29+AND+%28%28paramyotonia+congenita%5BTIAB%5D%29+OR+%28paralysis+periodica+paramyotonia%5BTIAB%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+3600+days%22%5Bdp%5D>

OMIM

- PARAMYOTONIA CONGENITA OF VON EULENBURG
<http://omim.org/entry/168300>

Sources for This Summary

- Cavel-Greant D, Lehmann-Horn F, Jurkat-Rott K. The impact of permanent muscle weakness on quality of life in periodic paralysis: a survey of 66 patients. *Acta Myol.* 2012 Oct;31(2):126-33.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/23097604>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3476862/>
- Finsterer J. Primary periodic paralyses. *Acta Neurol Scand.* 2008 Mar;117(3):145-58. Epub 2007 Nov 20. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18031562>
- Magot A, David A, Sternberg D, Péréon Y. Focal and abnormally persistent paralysis associated with congenital paramyotonia. *BMJ Case Rep.* 2014 Jun 17;2014. pii: bcr2014204430. doi: 10.1136/bcr-2014-204430.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/24939454>
- Miller TM, Dias da Silva MR, Miller HA, Kwiecinski H, Mendell JR, Tawil R, McManis P, Griggs RC, Angelini C, Servidei S, Petajan J, Dalakas MC, Ranum LP, Fu YH, Ptáček LJ. Correlating phenotype and genotype in the periodic paralyses. *Neurology.* 2004 Nov 9;63(9):1647-55.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/15534250>
- Miller TM. Differential diagnosis of myotonic disorders. *Muscle Nerve.* 2008 Mar;37(3):293-9. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18067134>
- Tamaoka A. Paramyotonia congenita and skeletal sodium channelopathy. *Intern Med.* 2003 Sep;42(9):769-70.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/14518660>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/paramyotonia-congenita>

Reviewed: August 2015

Published: March 21, 2017

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services